

STICS

5%

TRUM

n Simultaneously High Bactericidal And Virucidal 15 PLUS Is Characterized By A Short Exposure Time Deep Effect.

US Is A Foaming, Highly Concentrated Surface

APPLICATION

	_	
Use	Dilution Rate	Ар
General Disinfection	1:200 (0.5%)	30
Fogging -Preventive -Special	0.75L/1000m³ 1.50L/1000m³	M
Aerial Disinfection	1:400 (0.25%)	2 L Dil

The application rate of the working solution is 300 i

Apply the working solution evenly to the th

surfaces using a high-pressure cleaner, foam cann

eptococci, enterococci, etc.

onium Compound 10%

successfully combats the following pathogens

mouth disease, IBR/IPV, BVD/MD, bovine flu

ro, Marek, Avian Influenza (H5 N1), Salmonellosis,

se, intestinal infections (coli bacteria), Eczema,

ATIONS

properly before disinfection.

nfectant all surfaces should be properly cleaned

ite (Recommended) detergent and dried.

syringe or spray system. For disinfection all surface walls, transport equipment, etc

- Poultry houses, battery farms -Insemination stations -Slaughterhouses

-Calf and cattle farms - Small animal husbandry

-Veterinary institutes animal shelters etc.

- Breeding and propagation companies

GSY DIS 15 PLUS has no negative effects on BioGa

SPECIAL FEATURE

Short exposure time and high depot effect for surfa



Imported & Marketed by: Alpha care enterprises

